

### RECOMMENDED USE

#### HEALTHCARE

	20 mil FX3
Cafeterias/Dining	R
Chapels	HR
Corridors	R
Critical/Intensive Care	NR(6)
Delivery Rooms (Maternity Wards)	NR(6)
Dialysis	R
Elevators	R(7)
Emergency Room Areas	NR(6)
Exam/Procedure Rooms	HR(1)
Gift Shops	HR
Hyperbaric Rooms	NR(6)
Lobbies	R
Nurses Stations	R
Offices/Administrative/Conference Rooms	HR
Operating Rooms	NR(6)
Patient Rooms	R
Patient Rooms - Restrooms (Within)	R
Pharmacies	HR
Physical Therapy/Occupational Therapy - Dry	R(4)
Physical Therapy/Occupational Therapy - Wet	NR
Ramps/Ramped Corridors (Dry)	R(7)
Restrooms (Public)	NR
Scrub Areas	NR(6)
Speech Therapy	HR
Stairways/Landings	NR
Staff Lounges	HR
Testing Areas (MRI, CAT-Scan, X-Ray, Etc.)	R(1)
Utility/Storage Rooms/Filing	HR
Waiting Rooms	HR

#### CORPORATE / OFFICE

	20 mil FX3
Computer Rooms	HR(1)
Copier Rooms	HR
Corridors	HR
Elevators	R(7)
Lobbies	HR
Lunchrooms	HR
Offices/Conference Rooms	HR
Restrooms	NR
Stairways/Landings	NR
Utility/Storage Rooms	HR

#### TRANSPORTATION & PUBLIC SPACES

	20 mil FX3
Airports/Railway Stations/Bus Terminals	R
Boutique Art Galleries	HR
Civic/Convention Centers	R
Museums/Cultural Centers	R
Planes and Trains	NR
Private (Non-Commercial) Boats & Yachts	R
RVs, Campers, Trailers, and Mobile Homes	R

#### EDUCATIONAL / INSTITUTIONAL

	20 mil FX3
Auditoriums	R
Cafeterias/Dining	R
Classrooms/Lecture Halls	HR
Computer Labs	HR(1)
Corridors	R
Dormitory Rooms	HR
Food Service Areas	HR(2)
Gymnasiums	NR
Laboratories	HR
Libraries	HR
Locker Rooms (No Spikes / No Wet Areas)	R
Multipurpose Rooms/Cafeteriums	R
Offices/Administrative/Conference Rooms	HR
Physical Therapy/Occupational Therapy	HR(4)
Ramps/Ramped Corridors (Dry)	R(7)
Restrooms	NR
Showers/Shower Rooms	NR
Stairways/Landings	NR
Teachers' Lounges	HR
Utility/Storage Areas	HR
Vestibules/Entryways/Foyers	R

#### ASSISTED LIVING / MILITARY HOUSING / LIGHT COMMERCIAL

	20 mil FX3
Activity Rooms/Common Areas	HR
Beauty Salons/Barber Shops - Work Areas	R(3)
Corridors	HR
Daycare Areas	HR
Dining Areas	R
Doctor/Dentist Offices - Examination Rooms	HR
Doctor/Dentist Offices - Reception	HR
Lobbies	HR
Physical Therapy - Dry	HR(4)
Residence Bathrooms	HR
Residence Kitchens	HR
Residence Rooms/Barracks	HR

#### HOSPITALITY

	20 mil FX3
Around Whirlpools/Spas	NR
Casino Floors (Tables/Slots)	R
Corridors	HR
Dance Halls/Night Clubs - Dance Floors	R
Dining Rooms	R
Elevators	R(7)
Exercise Rooms	R(5)
Guest Bathrooms	HR
Guest Rooms	HR
Lobbies	HR
Lounges	HR
Stairways/Landings	NR
Vending Areas	NR

#### RETAIL / SALES

	20 mil FX3
Automobile Showrooms	NR
Checkout/Cash Wraps	R
Dept. Stores/Mass Merchants - Vignettes	HR
Dept. Stores/Mass Merchants - Other Areas	R
Food Service Areas	HR(2)
Grocery Stores	R
Indoor Mall Common Areas	NR
Specialty Shops/Areas	HR

#### LIGHT INDUSTRIAL

	20 mil FX3
Clean Rooms	NR
Computer Repair Labs	NR
Electronic Testing Labs	NR
Electronics Manufacturing	NR
Environmental Conditioning Units	R
Photo Processing	R
Production Laboratories	R
Research Laboratories	R
Small Parts Assemblies	NR
Sterile Packaging	NR
Warehouses	NR

#### NOTES

- (1) Not recommended for sensitive areas requiring conductive or dissipative flooring
- (2) Not recommended for commercial kitchen areas or food preparation areas
- (3) Use only non-urethane products in Beauty Salons/Barber Shops that dye/color
- (4) Use protective mats underneath Physical Therapy equipment
- (5) Use protective mats underneath Exercise equipment; refrain from dropping free weights on flooring
- (6) These areas typically require flooring systems with welded seams for infection-control purposes
- (7) MagneBuild Underlayment by Magnetic Building Solutions must be adhered to substrate for installations in these areas

#### KEY

- HR = HIGHLY RECOMMENDED  
R = RECOMMENDED  
NR = NOT RECOMMENDED