

HEALTHCARE

	12mil PVC	12mil CB	20mil CB
Cafeteria/Dining	NR	NR	R
Chapel	R	R	HR
Corridors	NR	NR	R
Critical/Intensive Care	NR	NR	NR
Delivery Rooms (Maternity Ward)	NR	NR	NR
Dialysis	NR	NR	R
Elevators	NR	NR	R
Emergency Room Areas	NR	NR	NR
Exam/Procedure Rooms	NR	R(1)	R(1)
Gift Shop	R	R	HR
Hyperbaric Room	NR	NR	NR
Lobbies	NR	NR	R
Nurses Station	NR	NR	R
Office/Administrative/Conference Rooms	R	R	HR
Operating Rooms	NR	NR	NR
Patient Rooms	NR	NR	R(2)
Pharmacy	NR	NR	R
Physical Therapy/Occupational Therapy - Dry	NR	NR	R(6)
Physical Therapy/Occupational Therapy - Wet	NR	NR	NR
Ramps/Ramped Corridors (Dry)	NR	NR	NR
Restrooms	NR	NR	NR
Scrub Areas	NR	NR	NR
Speech Therapy	NR	R	HR
Stairways/Landings	NR	NR	R
Staff Lounge	NR	R	HR
Testing Areas (MRI, CAT-Scan, X-Ray, Etc.)	NR	NR	R(1)
Utility/Storage Room/Filing	NR	R	HR
Waiting Rooms	NR	NR	HR

CORPORATE / OFFICE

	12mil PVC	12mil CB	20mil CB
Computer Room	R(1)	R(1)	R(1)
Copier Room	R	R	HR
Corridors	NR	R	R
Elevators	NR	NR	R
Lobby	NR	R	HR
Lunchrooms	NR	NR	R
Offices/Conference Rooms	R	R	HR
Restrooms	NR	NR	NR
Stairways/Landings	NR	NR	R
Utility/Storage Rooms	NR	R	HR

TRANSPORTATION

	12mil PVC	12mil CB	20mil CB
Airport/Railway/Bus Terminals - Retail Shops	NR	NR	R
Civic/Convention Centers	NR	NR	R
Museums/Cultural Centers	NR	NR	R

EDUCATIONAL / INSTITUTIONAL

	12mil PVC	12mil CB	20mil CB
Auditoriums	NR	NR	R
Cafeteria/Dining	NR	NR	R
Classrooms/Lecture Halls	NR	NR	HR
Computer Rooms	NR	R(1)	R(1)
Corridors	NR	NR	HR
Dormitory Rooms	R	HR	HR
Food Service Area	NR	R(3)	R(3)
Gymnasium	NR	NR	R
Laboratories	NR	R	R
Library	NR	R	HR
Locker Rooms (No Spikes)	NR	NR	NR
Multipurpose Room/Cafeteriums	NR	NR	R
Office/Administrative/Conference Rooms	R	R	HR
Physical Therapy/Occupational Therapy	NR	R(6)	HR(6)
Ramps/Ramped Corridors (Dry)	NR	NR	NR
Restrooms	NR	NR	NR
Showers/Shower Rooms	NR	NR	NR
Stairways/Landings	NR	NR	R
Teachers' Lounge	NR	R	HR
Utility/Storage Areas	NR	R	HR
Vestibule/Entryway/Foyers	NR	NR	R

ASSISTED LIVING / MILITARY HOUSING / LIGHT COMMERCIAL

	12mil PVC	12mil CB	20mil CB
Activity Rooms/Common Areas	NR	R	HR
Beauty Salon/Barber Shop - Work Area/Floor	NR	NR	R(4)
Corridors	NR	NR	R
Daycare Areas	R	R	HR
Dining Areas	NR	NR	R
Doctor/Dentist Office - Examination Rooms	R	R	R
Doctor/Dentist Office - Reception	R	R	HR
Lobbies	NR	R	HR
Physical Therapy - Dry	NR	R(6)	HR(6)
Residence Bathrooms	R	R	R
Residence Kitchens	R	R	HR
Residence Rooms/Barracks	R	R	HR

HOSPITALITY

	12mil PVC	12mil CB	20mil CB
Around Whirlpool/Spas	NR	NR	NR
Casino Floors (Tables/Slots)	NR	NR	R
Corridors	NR	NR	R
Dance Halls/Night Clubs - Dance Floor	NR	NR	NR
Dining Room	NR	NR	R
Elevators	NR	NR	NR
Exercise Rooms	NR	NR	R(2)(7)
Guest Bathrooms	NR	NR	R
Guest Rooms	NR	NR	R
Lobby	NR	R	R
Lounge	NR	R	R
Stairways/Landings	NR	NR	NR
Vending Areas	NR	NR	R(2)

RETAIL / SALES

	12mil PVC	12mil CB	20mil CB
Automobile Showrooms	NR	NR	NR
Checkout/Cash Wrap	NR	NR	R
Food Service	NR	NR	NR
Frozen Food	NR	NR	R(2)
Indoor Mall Common Areas	NR	NR	R
Produce Area	NR	NR	R(2)
Sales Floor – Department Stores	NR	NR	R
Sales Floor – Grocery	NR	NR	R
Sales Floor – Mass Merchant	NR	NR	R
Specialty Shops/Areas	NR	NR	R

LIGHT INDUSTRIAL

	12mil PVC	12mil CB	20mil CB
Clean Rooms	NR	NR	NR
Computer Repair Lab	NR	NR	NR
Electronic Testing Lab	NR	NR	NR
Electronics Manufacturing	NR	NR	NR
Environmental Conditioning Unit	NR	NR	R
Photo Processing	NR	NR	R
Production Laboratory	NR	NR	R
Research Laboratory	NR	NR	R
Small Parts Assembly	NR	NR	NR
Sterile Packaging	NR	NR	NR
Warehouse	NR	NR	NR

NOTES

- (1) Not recommended for sensitive areas requiring conductive or dissipative flooring
- (2) Two-part epoxy adhesive to be used for installation in these areas
- (3) Not recommended for commercial kitchen areas or food preparation areas
- (4) Use only non-urethane products in Beauty Salons/Barber Shops that dye/color
- (5) Protect area directly underneath tires from staining
- (6) Use protective mats underneath Physical Therapy equipment
- (7) Use protective mats underneath Exercise equipment; refrain from dropping free weights on flooring

KEY

- HR = HIGHLY RECOMMENDED
 R = RECOMMENDED
 NR = NOT RECOMMENDED